

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 62201-8641
Status: Active

Description: Daughter Card Module Installation Press-In Tool

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series <u>T3002</u>

Comments See Tooling Specification (PDF) Above, Press-In Tool

Function Insertion
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information applicationtooling@molex.com

Product Name PremiumGrade™


Survey www.molex.com//review/apptool_survey.html

Tool Type Handtool UPC 800756930633

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622018641, TM-622018799



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed



Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T3002Series

Use With

Impact™ Daughtercard Signal Module, 76160 Series

 Application Tooling
 | FAQ

 Description
 Product #

 Impact™ 100 Ohm
 0761605010

4 Pair Right Angle
Daughtercard

Receptacle, 1.90 by 1.35mm Pitch, Right Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm,

Dimension 0. Lead-Free

Lead-Free

Impact[™] 100 Ohm 0761601010

4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Unguided, 10

Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact[™] 100 Ohm 0761601020 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Unguided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0761603010 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Left Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact[™] 100 Ohm 0761603020 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Left Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0761603120 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Left Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Keying Orientation A, Lead-Free Impact[™] 100 Ohm 0761605020 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Right Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0761605110 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Right Guided, 10 Columns, 120 Circuits, Plated

Through Hole

Dimension 0.46mm, Key Orientation A, Lead-Free, Keying Orientation A Impact[™] 100 Ohm 0761605120 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Right Guided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Key Orientation A, Lead-Free, Keying Orientation A Impact[™] 100 Ohm 0765001107 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765001108 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765001117 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765001118 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm,

Lead-Free

Impact[™] 100 Ohm 0765001127 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Dual Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765001128 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Dual Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765001138 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Unguided, Right Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765003107 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765003108 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765005107 4 Pair RAM Right Angle Header, 1.90 by 1.35mm

Pitch, Right Guided,

Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765005108 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Right Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765007107 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact[™] 100 Ohm 0765009108 4 Pair RAM Right Angle Header, 1.90 by 1.35mm Pitch, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact™ 100 0768501010 Ohm 4 Pair Right Angle Orthogonal Daughtercard, Unquided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact™ 100 0768501020 Ohm 4 Pair Right Angle Orthogonal Daughtercard, Unguided, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact™ 100 0768503010

Ohm 4 Pair Right

Angle Orthogonal Daughtercard, Left Guide, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact™ 100 0768503020 Ohm 4 Pair Right Angle Orthogonal Daughtercard, Left Guide, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact™ 100 0768505010 Ohm 4 Pair Right Angle Orthogonal Daughtercard, Right Guide, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact™ 100 0768505020 Ohm 4 Pair Right Angle Orthogonal Daughtercard, Right Guide, 10 Columns, 120 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION